



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 1 of 8

# Material Safety Data Sheet (MSDS)

**Samples Name:** WET WIPE

**Item Number:** /

**Client Name:**

**Address:**

批准人:

A handwritten signature in black ink, appearing to be 'Harry Tian'.

Harry Tian  
(技术总监)





# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 2 of 8

## Section 1 - Chemical Product and Company Identification

**Product Name:** See item 3 for details

**Manufacture:**

**Address**

**Contact Person:**

**Tel:**

**Email:**

## Section 2 - Hazards Identification

**Fatalness grade:** Class 4.1

GHS label elements



Signal word danger

Hazard statement H225 Highly flammable

**Invasion route:** Inhalation, ingestion, percutaneous absorption, eye contact.

**Health hazards:** Contains central nervous system inhibitors. Excitation is first induced, followed by inhibition.

Acute poisoning: acute poisoning occurs mostly by oral administration. Generally can be divided into excitement, hypnosis, anesthesia, asphyxia four stages. The patient enters the third or fourth stage with loss of consciousness, dilated pupils, irregular breathing, shock, heart failure and respiratory arrest.

Chronic effects: long-term exposure to high concentration of this product can cause nasal, eye and mucous membrane irritation symptoms, as well as headache, dizziness, fatigue, excitement, tremor, nausea, etc. Long-term alcoholism can cause multiple neuropathy, chronic gastritis, fatty liver, cirrhosis, myocardial damage, organic psychosis, etc. Prolonged skin contact can cause dryness, desquamation, chapping and dermatitis.

**Environment hazards:** This substance may be harmful to the environment. Special attention should be paid to water bodies.

**Burn & burst danger:** This product is inflammable and irritating

## Section 3 –Composition/Information on Ingredient

Pure



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 3 of 8

Admixture

Composition:

Chemical Name	Composition (in% by weight)	Chemical formula	Molecular weight	CAS No.	EC No.
WATER	28.62	H <sub>2</sub> O	18.02	7732-18-5	231-791-2
Ethyl Alcohol	70	C <sub>2</sub> H <sub>6</sub> O	46.07	64-17-5	200-578-6
Propylene Glycol	0.5	C <sub>3</sub> H <sub>8</sub> O <sub>2</sub>	76.09	57-55-6	200-338-0
Aloe Barbadensis Leaf Juice	0.5	C <sub>16</sub> H <sub>13</sub> NO <sub>3</sub>	267.279	85507-69-3	287-390-8
Panthenol	0.3	C <sub>9</sub> H <sub>19</sub> NO <sub>4</sub>	205.25	81-13-0	201-327-3
Benzalkonium Chlorid	0.08	C <sub>17</sub> H <sub>30</sub> ClN	283.88	8001-54-5	264-151-6

## Section 4 - First Aid Measures

**Skin touch:** This product is used for daily hand disinfection, clean the skin, not long time contact with the skin.

**Eyes touch:** Immediately lift eyes and face and rinse with running water or normal saline.. If there is pain, treatment .

**Inhalation:** Quickly leave the scene to fresh air. Keep your airways open. If breathing is difficult, give oxygen. Seek medical attention.

**Ingestion:** Drink plenty of warm water to induce vomiting. Seek medical attention.

## Section 5 - Fire Fighting Measures Danger

**Characteristic:** This product is flammable. Its vapor can form explosive mixture with air, which can cause combustion and explosion in case of open flame and high heat energy. Contact with an oxidant to cause a chemical reaction or cause combustion. In a fire scene, heated containers are at risk of explosion. Its vapor is heavier than air and can spread to a relatively low place at a lower place. It will ignite when it comes to a fire source.

**Hazardous combustion products:** carbon monoxide, carbon dioxide.

**Fire-Fighting method & media:** Firefighters must wear filter-type gas masks (full-face masks) or isolated respirators, wear full-body fire protection suits, and extinguish fires against the wind. Move the container from the fire to an open area as much as possible. Spray water to keep the container cool until the fire is over.

Fire extinguishing agent: solvent-resistant foam, dry powder, carbon dioxide, sand.



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 4 of 8

## Section 6 –Accidental Release Measures

**Emergency treatment:** Evacuate personnel from the contaminated area to the safe area, and quarantine, strictly restrict access. Cut off the fire. Emergency personnel are advised to wear self-contained positive pressure breathing apparatus and fire protective clothing. As far as possible to cut off the source of leakage, prevent entering the sewer, drainage ditch and other restricted space.

**Small amount of divulgence:** To adsorb or absorb with sand or other noncombustible material.

**Massive divulgence:** Construct a dike or dig for containment; cover with foam to reduce steam disasters. Use explosion-proof pump to transfer to tanker or special collector, recycle or transport to waste disposal place for disposal.

## Section 7 - Handling and Storage

**Handling:** Confined operation, local exhaust, and proper exhaust equipment in places where dust is generated.

Operators must be specially trained and strictly abide by the operating procedures. Operators are advised to wear filter respirators (half-masks), antistatic work clothes, and gloves. Away from fire and heat sources, smoking is strictly prohibited in the workplace. Avoid generating dust. Use explosion-proof ventilation systems and equipment. Avoid contact with oxidants, acids, alkali metals and amines. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment. Empty containers may be harmful residues.

**Storage:** Store in a cool and ventilated place, away from direct sunlight, away from fire and heat source, storage temperature should not exceed 30°C, packaging requirements sealed, not with air contact. Store separately with oxidants, acids, alkali metals, amines, etc. Equipped with the corresponding type and number of fire extinguishing tools, do not use easy to produce spark mechanical equipment and tools. The storage area should be equipped with emergency leak handling equipment and suitable storage materials.

## Section 8 - Exposure Controls, Personal Protection

**Maximum admissible concentration:** US TWA : OSHA 1000PPm , 1880mg/m<sup>3</sup> ; ACGIH 1000ppm , 1880mg/m<sup>3</sup> TLVTN : OSHA 1000ppm,1880mg/m<sup>3</sup>; ACGIH 1000ppm,1880mg/m<sup>3</sup>.

**Monitoring Method:** None.

**Engineering Control:** Closed operation, enhance ventilation. Safety shower and eyewash equipment .

**Respiratory Protection:** Generally do not need special protection, high concentration contact can be worn filter gas mask (half mask).

**Eyes Protection:** Wear chemical safety glasses.



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 5 of 8

**Body Protection:** Wear anti-static protective clothing.

**Hands Protection:** Wear protective gloves.

**Other Protections:** Smoking, eating and drinking are prohibited at the work site. Maintain good hygiene.

## Section 9 - Physical and Chemical Properties

**Appearance:** White sheet with flammable liquid adsorbed inside.

**Color:** White

**Odor:** Alcohol smell

**Packing density :** No

data. **Boiling Point:** No

data.

**Melting Point:** No data.

**Flashpoint :** No data.

**Vapour pressure :** No data.

**Solubility in water :** No data.

**Partition coefficient (n-octanol / water):** No data.

**Viscosity:** Not applicable

**PH Value:** No data.

**Permission of solvent inhalation:** No data.

**Solubility:** No data..

**Ignition temperature :** No data

## Section 10 - Stability and Reactivity

**Stability:** Stable under normal temperature and pressure.

**Distribution of Ban:** Strong oxidants, acids, anhydrides, alkali metals, amines.

**Conditions to Avoid:** Source of fire, heat.

**Hazardous Polymerization:** No data

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 - Toxicological Information

**Acute Toxicity:** LD50:7060mg/kg(rat); 7340 mg/kg(rabbit percutaneous); LC50:37620 mg/m, 10 h (inhaled by rats).

**Sub-acute and Chronic Toxicity:** No significant impact or hazard is known.



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 6 of 8

**Irritation:** Skin irritant differs from person to person, exist very big difference.

**Sensitization:** No data.

**Mutagenicity:** No data.

**Carcinogenicity:** No data.

**Others:**None.

## Section 12 - Ecological Information

**Eco-toxicity:** No known significant effects or critical hazards.

**Biodegradable:** No applicable.

**Non-biodegradable:** No applicable.

**Bioconcentration or biological accumulation:** No applicable.

**Other harmful effects:** No known significant effects or critical hazards.

## Section 13 - Disposal Considerations

**Nature of waste:** Unused products are not considered hazardous waste.

**Waste disposal methods:** Recycling or refer to the relevant national and local laws and regulations.

**Attention abandoned:** Do not dump products into city sewers, floors, or natural water sources.

## Section 14 - Transport Information

**Number of dangerous goods:** No data.

**UN Number:** 3175



**Packaging Mark:** Flammable

**Packaging category:** II

**Transport Attentions:** Examine whether the package of the containers are integrate and tighten closed before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together with oxidizer, acid and so on. The transport vehicle and ship must be cleaned and sterilized otherwise it is not allowed to assemble articles. During transport, the vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. Don't use device and tools which can easily produce spark for loading. When transported by sea, the assemble place should keep away



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 7 of 8

from bedroom and kitchen, and isolated from the engine room, power and fire source. Under the condition of Road Transportation, the driver should drive in accordance with regulated route, don't stop over in the residential area and congested area. The railway transportation shall be carried out in strict accordance with the dangerous goods installation table in the "Dangerous Goods Transportation Regulations" of the Ministry of Railways.

## Section 15 - Regulatory Information

**Regulatory Information:** ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.Regulation (EC) No.1272/2008 Classification, Labeling and Packaging of Substances and Mixtures. The International Maritime Dangerous Goods (IMDG) Code.

## Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.



# MSDS

Report No. : STSGZ20043121BE

Report Date : Apr 16, 2020

Page : 8 of 8

**Note:**

Photo is included

**Sample photo**



\*\*\*\*\*End of MSDS\*\*\*\*\*