



Car Clean Products NZ Limited  
 Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz  
 33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: Floor Polish  
 Product Code: GRF3  
 Product Use: A tough, scuff resistant coating for floors

New Zealand Supplier: Car Clean Products NZ Limited  
 Address: 33 Ha Crescent  
 Wiri  
 Auckland

Telephone: 09 250 0091  
 Fax Number: 09 250 0092

**Emergency Telephone: 0800 POISON (0800 764 766)**

Date of MSDS Preparation: July 2015

### Section 2. Hazards Identification

#### Potential Health Effects



#### WARNING

**H302 Harmful if swallowed**  
**H319 Causes serious eye irritation**

Swallowed	Harmful if swallowed
Eyes	Moderately irritating
Skin	Not expected to be an irritant
Inhalation	Not expected to be an irritant

### Section 3. Composition / Information on Ingredients

Ingredients	Proportion (% mass)	Cas No
Water	<40	7732-18-5
Polymer Liquid	>60	n/a

### Section 4. First Aid Measures

Routes of Exposure:

Eye	Flush with cold water for at least 15 minutes. Seek medical attention if problems persists
Skin	If skin contact causes irritation remove contaminated clothing and wash thoroughly with soap and water
Ingestion	Do not induce vomiting. Give nothing by mouth. If patient continues to be distressed seek medical attention immediately
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention immediately

### Section 5. Fire Fighting Measures

Suitable Extinguishing media	Water jet or spray. Dry chemical fire extinguishers.
Fire and Explosion hazards	Not combustible
Fire Fighting Instructions	Treat as for surrounding fire. <b>Hazchem 2Z</b>

### Section 6. Accidental Release Measures

Land Spill or Leaks	Small spills or leaks can be collected for domestic rubbish disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and reuse.
Water	Small spills and leaks should not pose any long term effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer to assist with containment.

## Section 7. Handling and Storage

Handling Advice:	No protective clothing required. Natural ventilation should be adequate under normal use conditions. Spillages are extremely slippery.
Storing Procedures:	Store away from high temperatures and sunlight. Do not store near to food or feedstuffs. Keep containers closed at all times – check bulk amounts regularly for leaks.

## Section 8 Exposure Controls / Personal Protection

Engineering Controls:	Normal Industrial conditions should be adequate
Personal Protective Equipment:	Not required

## Section 9 Physical and Chemical Properties

Appearance	Thick white liquid
Odour:	slight / detergent
Odour threshold	Data not available
pH:	neutral
Melting/Freezing point	Data not available
Initial boiling point/range	Data not available
Flash point	N/A
Flammability	N/A
Upper/Lower flammability limits	N/A
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility in water, % mass:	Dispersable
Partition coefficient	Data not available
Auto-ignition temperature	N/A
Decomposition temperature	Data not available
Kinematic viscosity	Data not available
Particle characteristics	Data not available

## Section 10. Stability and Reactivity

Chemical Stability	Stable. Does not react or polymerise
Conditions to Avoid	None
Incompatibility	Strong oxidizing agents
Hazardous Decomposition Products	carbon monoxide in a fire

## Section 11 Toxicological Information

Acute Oral Toxicity	Low toxicity
Acute Dermal Toxicity	LD50 guinea pig >2000 mg/pk
Inhalation	Not expected to be an irritant
Long term Effects	None expected
Toxicological Data	Not available

## Section 12. Ecotoxicological Information

### Environmental Precautions:

*Ecological Toxicity* No environmental toxicity expected .

### Environmental Fate:

*Soil* Biodegradable and not expected to persist

*Water* Biodegradable and not expected to persist

Environmental Exposure Limits EEL<sub>water</sub> Not set

## Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

## Section 14 Transport Information

### Road, Rail, Marine and Air Transport

UN No	Not applicable
Class-primary	Not applicable
Packing Group	Not applicable
Proper Shipping Name:	Not applicable

## Section 15 Regulatory Information

Classification	6.1D, 6.4A,
Group Standard	Surface coatings and colourants (subsidiary hazard)
ERMA Approval No	HSR002670

<b>Section 16      Other Information</b>
--

Supplied in 500ml, 5lt containers. Code: GRF3-5.

\*\*\*\*\*

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited  
Phone: 09 250 0091, if further information is required.

\*\*\*\*\*



Car Clean Products NZ Limited  
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz  
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

## FLOOR POLISH

**PURPOSE:** A two in one specially formulated sealer and polish containing acrylic polymers. Provides a hard high gloss, non slip finish to protect and enhance vinyl, timber and marble floors etc. Can be manually or machine applied.

**DIRECTIONS:** Ready to use. Sweep or vacuum floor thoroughly then wash with lightly dampened mop. Allow floor to dry. Apply 2-3 coats with a clean damp mop. Apply polish in areas 1 metre around (do not pour in floor). Let dry at least 30 minutes between coats. Allow final coat at least 60 minutes to dry.

**WARNING:**

Harmful if swallowed. May cause eye irritation.

**KEEP OUT OF REACH OF CHILDREN.**